



Essential instruments 2018





Portable hand-held test instruments designed & manufactured in the UK for over 25 years

Working with leading boiler industry companies including:




Award Winning Products



Global Quality, Environment, Health & Safety

Kane is the only UK manufacturer of hand-held gas analysers to be granted UKAS accreditation to ISO / IEC 17025:2005 for its Welwyn Garden City calibration laboratory, covering a range of gases, temperature & pressure.

Kane is certified to ISO 9001, ISO 14001 & BS OHSAS 18001



Trade Associations



Supporting CO Safety Awareness Campaigns



Contents

Domestic Analysers - Gas Oil/Biomass	
KANE458	3-4
KANE452NO	5-6
KANE457	7-8
KANE255	9
Commercial Analysers	
KANE450	10
KANE905	13
KANE945	14
Add Your Factory Fitted Upgrades	16
Industrial Analysers	
KANE9206 Quintox	15
Add Your Factory Fitted Upgrades	16
Indoor Air Quality	
DAFM3	17
KANE77	17
KANE101	11-12
Leak Detectors	17-18
Pressure Meters	19-20
Thermometers	21-22
Multimeters & Clamp Meters	22
Combustion Probes	23-24
Accessories/Consumables	25-26
Kane Dashboard	27
Service & Recertify - Online Booking In	28
UK Service Price List	29-30
UK Sales Team	31
Contact Details	31

Most popular Analysers

Domestic Gas



KANE458
page 3-4

Domestic Gas Oil/Biomass



KANE452NO
page 5-6

Commercial Catering



KANE457
page 7-8

Commercial



KANE905
page 13-16

Industrial



KANE9206
Quintox
page 15-16

Indoor Air Quality (IAQ)



KANE101
page 11-12

Flue Gas Analyser with direct CO & CO₂ measurement with CO sensor 'over-range' protection



£499 Exc.VAT

KANE458

- Dual pump system for CO sensor 'over-range' protection - prevents CO sensor saturation
- Structured commissioning test
- Fast print
- Screen protection
- 6 line display
- Factory fitted upgrades available

...the best just keeps getting better!

Applications

- Installation & servicing of domestic oil or gas appliances
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught

Measures

- CO₂ direct with an infra-red sensor 0-20%
- CO 0-2,000ppm
- Differential temperature
- High accuracy differential pressure meter +/- 80mbar

Calculates

- O₂
- CO/CO₂ ratio
- Excess air
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Wood pellets

Features

- Structured commissioning test
- Rotary switch for ease of use
- Data hold
- Logs & prints reports with optional infra-red printer
 - Combustion
 - Pressure
 - Let-by & Tightness
 - Temperature
 - CO build up
 - Commission test
- 6 year warranty if serviced annually by Kane

Contents

- Analyser, probe, pressure connectors, charger, manual, calibration report



Independently tested by
TUV SUD to: EN50379
Use for: BS7967


“Trade-up” offer available
Contact us for more details



Flue Gas Analysis



Tightness Test



Differential Pressure

KANE458	SM19392	V0.12
YOUR COMPANY NAME & PHONE NUMBER HERE		
SERIAL No.	999999001	
LOG No.	03	
DATE	11/09/17	
TIME	14:59:35	

CAL DUE ON	14/02/18	

COMMISSION TEST		

ANALYSER ZERO		
CO2	%	-0.00
CO	PPM	0
FLUE INTEGRITY		
CO2	%	0.00
MAX GAS FLOW		
CO2	%	8.8
CO	PPM	385
CO/CO2		0.0044
MIN GAS FLOW		
CO2	%	8.8
CO	PPM	385
CO/CO2		0.0044
FLOW & RETURN		
T1	°C	49.0
T2	°C	21.1
ΔT	°C	27.9

CUSTOMER		
.....		
.....		
.....		
APPLIANCE		
.....		
.....		
.....		
REFERENCE		
.....		

Commission Test



KANE458 KIT

£638 Exc.VAT



KANE458 PRO KIT

£738 Exc.VAT



KANE458 CPA1

£788 Exc.VAT

Add Your Factory Fitted Upgrade



Optional wireless upgrade

- Transfer analyser readings to your PC using KANE LIVE software downloaded free from www.kane.co.uk
- Send printout data to your mobile device using the new FREE Kane printer app



BTM/450

Wireless android module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458

£55 Exc.VAT

BTM/450LE

Wireless iOS module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458



Optional sensor upgrade

- Nitric Oxide (NO) sensor

£200 Exc.VAT



KANE458EK

£804 Exc.VAT

Flue Gas Analyser with direct CO & CO₂ measurement, CO sensor 'over-range' protection & low range NO sensor



KANE452NO

- Select from pre-programmed fuels - gas, oil, biomass
- Dual pump system for CO sensor 'over-range' protection
 - prevents CO sensor saturation
- Low range NO sensor (0-100ppm)
 - ideal for oil fired & biomass boilers
- Structured commissioning test & fast print report
- 6 line display with screen protection
- Factory fitted upgrades available

...the best just keeps getting better!

Applications

- Installation & servicing of domestic oil or gas appliances
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught

Measures

- CO₂ direct with an infra-red sensor 0-20%
- CO 0-2,000ppm
- NO 0-100ppm
- Differential temperature
- High accuracy differential pressure meter +/- 80mbar

Calculates

- O₂
- CO/CO₂ ratio
- Excess air
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Wood pellets

Features

- Structured commission test
- Rotary switch for ease of use
- Data hold
- Logs & prints reports with optional infra-red printer
 - Combustion
 - Pressure
 - Let-by & Tightness
 - Temperature
 - CO build up
 - Commission test
- 6 year warranty if serviced annually by Kane

Contents

- Analyser, probe, pressure connectors, charger, manual, calibration report



Independently tested by
TUV SUD to: EN50379
Use for: BS7967



Associate
Member



Oil Boiler Analysis

“Trade-up” offer available
Contact us for more details



KANE452NO KIT

£868 Exc.VAT



KANE452NO OIL KIT

£1058 Exc.VAT

Add Your Factory Fitted Upgrade



Optional wireless upgrade

- Transfer analyser readings to your PC using KANE LIVE software downloaded free from www.kane.co.uk
- Send printout data to your mobile device using the new FREE Kane printer app



BTM/450

Wireless android module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458

£55 Exc.VAT

BTM/450LE

Wireless iOS module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458



Flue Gas & Ambient Air Analyser



£615 Exc.VAT

Contents

- Analyser, probe, pressure connectors, CO2 True zero calibration module, charger, manual, calibration report



Independently tested by
TUV SUD to: EN50379 &
EN50543
Use for: BS7967 & BS8494

KANE457

- Unique - ambient & flue CO₂ in one analyser
- Ideal for commercial catering & incident investigations

Applications

- Installation, commissioning & servicing of domestic oil or gas appliances
- Commercial Catering
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught
- CMDDA1
- Indoor Air Quality

Measures

- CO₂ direct with an infra-red sensor 0-20%
- CO₂ ppm 0-10,000ppm
- CO 0-2,000ppm
- Differential temperature
- High accuracy differential pressure meter +/-80mbar

Calculates

- O₂
- CO/CO₂ ratio
- Excess air
- Combustion efficiency

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Wood pellets

Features

- Rotary switch for ease of use
- Logs & prints reports with optional infra-red printer
 - Combustion
 - Pressure
 - Let-by & Tightness
 - Temperature
 - CO & CO₂ build up
 - Logs & prints ambient CO & CO₂
- 6 year warranty if serviced annually by Kane



“Trade-up” offer available
Contact us for more details



Flue Gas Analysis



Monitoring CO2



Room CO



KANE457 KIT

£754 Exc.VAT



KANE457 PRO KIT

£854 Exc.VAT



KANE457
CMDDA1 KIT

£928 Exc.VAT



KANE457 CPA1

£904 Exc.VAT

Add Your Factory Fitted Upgrade



Optional wireless upgrade

- Transfer analyser readings to your PC using KANE LIVE software downloaded free from www.kane.co.uk
- Send printout data to your mobile device using the new FREE Kane printer app



BTM/450

Wireless android module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458

£55 Exc.VAT

BTM/450LE

Wireless iOS module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458



KANE457
COM-CAT KIT

£903 Exc.VAT

Flue Gas Analyser with Direct CO₂ & CO Measurement

KANE255

- Entry level analyser with output to optional printer

Application

- Installation, commissioning & service of domestic, oil or gas boilers
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Commissioning & servicing

Measures:

- CO 0-2,000ppm
- CO₂ 0-20%
- Temperature
- Flue 0-600°C

Calculates:

- O₂
- CO/CO₂ ratio
- Combustion efficiency

Fuel types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Wood pellets

Features

- Rotary switch for ease of use
- Infra-red output to the optional printer
- Data hold
- Internal memory
- Long life sensors
- 6 year warranty if serviced annually by Kane



£379 Exc.VAT

Contents

- Analyser, probe, charger, manual, calibration report



Independently tested by
TUV SUD to: EN50379
Use for: BS7967

KANE255 KIT

£518 Exc.VAT



KANE255 OIL KIT

£708 Exc.VAT



Associate
Member

“Trade-up” offer available
Contact us for more details

Boiler Analyser



£599 Exc.VAT

Contents

- Analyser, probe, pressure connectors, charger, manual, calibration report



Independently tested by
TUV SUD to: EN50379
Use for: BS7967

KANE450

- Oxygen measuring commercial analyser with a H2 compensated CO sensor

Application

- Installation, commissioning & servicing of domestic / commercial oil, gas or biomass appliances
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught

Measures

- CO - H2 compensated CO sensor is accurate to 4,000ppm
- O2 0-21%
- NO (High/Low optional upgrade)
- High accuracy differential pressure
- Differential temperature

Calculates

- CO2
- CO/CO2 ratio
- Excess air
- Combustion efficiency
- NOx (optional)

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- Wood pellets
- 35 sec oil

Features

- Rotary switch for ease of use
- Logs & prints reports with optional infra-red printer
 - Combustion
 - Pressure
 - Let-by & Tightness
 - Temperature
 - CO build up
- 6 year warranty if serviced annually by Kane



KANE450 KIT

£768 Exc.VAT

Add Your Factory Fitted Upgrade



- Optional sensor upgrade
 - Nitric Oxide (NO) sensor

£200 Exc.VAT



Flue Gas Analysis

Indoor Air Quality Analyser



£499 Exc.VAT

Contents

- Analyser, probe, charger, manual, calibration report

KANE101

- Room air quality & air flow measurement
 - Ideal for commercial catering kitchens
- Temperature & relative humidity measurement
- Timed log 1-24 hours
- Fast print
- Designed for use with CIS23 & BS8494
- 6 line display with screen protection
- Factory fitted upgrades available

...the best just keeps getting better!

Application

- Measures & logs ambient carbon monoxide (CO) & carbon dioxide (CO₂) levels
- Checks that flueless gas appliances including space heaters, water heaters & kitchen equipment are operating safely
- Test CO & CO₂ for indoor air quality (IAQ) checks
- Monitoring air flow around air conditioning units & kitchen extractor fans

Measures

- Ambient CO 0-1,000ppm
- Ambient CO₂ 200-4,000ppm
- Probe temperature -20°C to +60°C
- Probe humidity 10 to 95% RH
- Probe air flow 0.3-30m/s

Features

- Rotary switch for ease of use
- Records & logs tests including room CO with variable sampling time upto 30 minutes
 - use for: sweep test, migration test, Type C sealed appliance, Type B boiler open flue, Type A cooker, Type A water heater & Type A space heater
- Records time & date
- Prints to optional printer using infra-red emitter (Printer sold separately)
- User adjustable alarms for CO & CO₂
- Long life NiMH batteries charged in situ with charger
- Internal pump for fast measurements in room air or ducts
- Long sampling hose for 'silent' sampling of high profile / public areas
- Headers can be customised by the user



See also KANE457
on page 7-8





Monitoring Air Flow



Monitoring Air Quality



KANE101 KIT

£619 Exc.VAT

Optional Extra: CPS1 Combustion Probe Stand 2.1m max height

£45 Exc.VAT

Add Your Factory Fitted Upgrade



Optional wireless upgrade

- Transfer analyser readings to your PC using KANE LIVE software downloaded free from www.kane.co.uk
- Send printout data to your mobile device using the new FREE Kane printer app



BTM/450

Wireless android module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458

£55 Exc.VAT

BTM/450LE

Wireless iOS module added to KANE451plus, KANE452, KANE455, KANE456, KANE457 & KANE458



Room CO



Commercial Flue Gas Analyser



£850 Exc.VAT

Contents

- Analyser, probe, charger, manual, calibration report & carry case

KANE905

- Upgradeable commercial analyser

Applications

- Installation, commissioning & servicing of commercial oil, gas or biomass appliances
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught

Measures

- O₂ 0-21%
- CO 0-4,000ppm (hydrogen compensated)
- Differential pressure
- Temperature - inlet / flue gas / differential
- * CO 0-100,000ppm
- * NO 0-100ppm
- * NO 0-5,000ppm
- * NO₂ 0-100ppm
- * SO₂ 0-100ppm
- * SO₂ 0-5,000ppm
- * Choice of 2 additional sensors

Calculates

- CO₂
- CO/CO₂ ratio
- Excess air
- Combustion efficiency
- * NO_x (if NO sensor fitted)

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Heavy oil
- Solid fuel
- User fuel

Options

- High range CO sensor instead of standard CO sensor
- Low range NO sensor in place of standard NO sensor
- NO₂ sensor in place of any other toxic gas sensor
- SO₂ sensor in place of any other toxic gas sensor

Features

- Infra-red printer link with customised printer header
- Logs & stores 150 test results for easy transfer to PC
- Long life battery recharged in situ
- Supplied with flue probe KMCP10

Add Your Factory Fitted
Upgrades - See page 16

Industrial Flue Gas Analyser



KANE945

- Upgradeable industrial emissions analyser with heavy duty pump

Applications

- Installation, commissioning & servicing of industrial/commercial oil, gas or biomass appliances
- Safety checks
 - CO in a room or around an appliance
- Combustion performance checks
- Combustion efficiency checks
- Flue Draught

Measures

- O₂ 0-21%
- CO 0-4,000ppm (hydrogen compensated)
- Differential pressure
- Temperature - inlet / flue gas / differential
- * CO 0-100,000ppm
- * NO 0-100ppm
- * NO 0-5,000ppm
- * NO₂ 0-100ppm
- * SO₂ 0-100ppm
- * SO₂ 0-5,000ppm
- * Choose up to 2 additional sensors

Calculates

- CO₂
- CO/CO₂ ratio
- Excess air
- Combustion efficiency
- * NO_x (if NO sensor fitted)

Fuel Types

- | | |
|---------------|--------------|
| • Natural Gas | • 35 sec oil |
| • Butane | • Heavy oil |
| • Propane | • Solid fuel |
| • LPG | • User fuel |
| • 28 sec oil | |

Options

- High range CO sensor instead of standard CO sensor
- Low range NO sensor in place of standard NO sensor
- NO₂ sensor in place of any other toxic gas sensor
- SO₂ sensor in place of any other toxic gas sensor

Features

- Infra-red printer link with customised printer header
- Logs & stores 150 test results for easy transfer to PC
- Long life battery recharged in situ
- Large character display
- High suction double headed pump
- Supplied with Teflon lined flue probe SM12527

Contents

- Analyser, probe, charger, manual, calibration report & carry case

£1275 Exc.VAT

Add Your Factory Fitted
Upgrades - See page 16

Quintox - Flue Gas Analyser & Emissions Monitor

KANE9206

- Fully featured emissions analyser

Measures (Standard Kit)

- O₂ 0-25%
- CO (H₂ Compensated) 0-4,000ppm
- Temperature 0-1100°C with optional probe
- Pressure 0-150 mbar
- Efficiency 0-100%

Calculates (Standard Kit)

- CO₂ (calculated) 0-20%

Fuel Types

- Natural Gas
- Butane
- Propane
- LPG
- 28 sec oil
- 35 sec oil
- Wood pellets
- User fuel
- Heavy Oil

Features

- Large Graphical Display
 - Up to 15 lines of text/data can be displayed
- Wireless link from the handset to the base unit
 - Cable free connection
- GPS Location
 - Pinpoint exact test location
- Wireless & USB Connection to PC
 - Use "KANE LIVE" software to monitor readings
- Large internal memory
 - Store up to 64,000 tests
- Main Purge
 - Allows zeroing without withdrawing the probe from the flue
 - Refreshes sensors during long term monitoring
 - Automatic sensor 'over-range' protection
- Active Flow Control
 - Compensates for sample pressure fluctuation & filter blocking by adjusting pump speed to maintain steady sample gas flow rate
- Built in Printer with additional output to optional portable Infra-red Printer
 - Infra-red printer ideal for remote use

Contents

- Analyser, handset with cable, charger, manual, calibration report

Wireless connectivity

- Transfer analyser readings to your PC or Android™ Phone using "KANE LIVE" software or "Printer App for Android™" downloaded FREE from www.kane.co.uk




Add Your Factory Fitted Upgrades - See page 16

POA



Add Your Optional Factory Fitted Upgrades

KANE905 & KANE945 Optional Upgrades - For probe options see pages 23 to 24

	BTM/450 Wireless Android module added to KANE905 & KANE945	£55 Exc.VAT
	Transfer analyser readings to your PC using KANE LIVE software downloaded free from www.kane.co.uk Send printout data to your Android mobile device using the free Kane printer app	
	KANE905 & KANE945 High range CO sensor (0-10%)	£200 Exc.VAT
	KANE905 & KANE945 NO sensor (0-5,000ppm)	£200 Exc.VAT
	KANE905 & KANE945 Low range NO sensor (0-100ppm)	£200 Exc.VAT
	KANE905 & KANE945 NO ₂ sensor (0-100ppm)	£200 Exc.VAT
	KANE905 & KANE945 SO ₂ sensor (0-5,000ppm)	£200 Exc.VAT
	Teflon Hose	£35 Exc.VAT

KANE9206 Optional Upgrades - For probe options see pages 23 to 24

KH2S/Q	H ₂ S 0-1000ppm sensor	POA
KHC/Q	Infra-Red Module CO 0-10%, HC 0-5000ppm, CO ₂ 0-20% NOTE: If fitted, the High/Low CO Protection Solenoid & Pump KHPURQ also required	POA
KHPURQ	Hi/Lo CO Protection Solenoid & Pump must be used with Infra-Red Module	POA
KHSA	Toxic Sensors Heater	POA
KMDM110/230	Sample Conditioning Unit	POA
KMHL3000	Heated Line	POA
KMHP1200	Heated Probe	POA
KNO1H/Q	NO (Hi Range) 0-5000ppm sensor	POA
KNO1L/Q	NO (Lo Range) 0-100ppm sensor	POA
KNO2/Q	NO ₂ 0-100ppm sensor	POA
KSO2H/Q	SO ₂ (Hi Range) 0-5000ppm sensor	POA
KSO2L/Q	SO ₂ (Lo Range) 0-100ppm sensor	POA
WTS9206P	Pumped Water Trap	POA



The KANE9206 Quintox is a modular system that lets you build a complete solution for your specific monitoring application

Indoor Air Quality

KANE77

- Personal CO Monitor for ambient carbon monoxide (CO) levels in commercial & residential spaces

Measures

- Measures CO from 0 to 999 ppm
- Long life CO sensor with 5 year life

Features

- One button ON with Auto Zero
- Captures maximum value
- Preset Alarms
- Vibrating Alarm
- Visual three colour LED
- Audible tone
- If readings 30 ppm or above
- Data Hold
- Back lit display
- Battery Indication



£135 Exc.VAT



Exposure to high levels of Carbon Monoxide (CO) can be fatal

DAFM3

- Digital "Rotating Vane" Air Flow Meter
Ideal for commercial catering applications



Measures

- Air Velocity
- Temperature
- Relative Humidity

Calculate

- Dew Point
- Air Volume



£155 Exc.VAT

Leak Detectors

LS1/B

- Leak Seeka
Combustible Gas
Leak Detector

Features

- Pinpoints combustible gas leaks as low as 10ppm methane
- One handed operation using thumbwheel to set "tick" rate
- Flexible goose neck with illuminated tip to find awkward leaks
- Audible & visual alarm for operator safety
- Supplied with earpiece & soft carry case



£132 Exc.VAT

RD99

- Refrigerant Gas Leak Detector

Features

- Detects CFC's, HFC's & HCFC's including R11, R22, R134A, etc
- High sensitivity setting locates R134A leaks to 3gm/year
- Flexible gooseneck probe
- Easy one handed operation
- Audible & visual indicators
- Rubber sleeve protects detector & probe



£107 Exc.VAT



Leak detectors do not measure gas levels

GLD/450plus & GLD/451plus

- Gas Leak Detectors

Applications


- Pin-point small combustible gas leaks

Gases Detected

Acetone	Gasoline/Petrol	Naptha
Alcohol	Hydrogen	Natural Gas
Ammonia	Industrial Solvents	Propane
Benzene	Jet Fuel	Thinners
Butane	Lacquer	Toluene
Ethylene	Methane	

£51 Exc.VAT

£51 Exc.VAT



Features

- Flexible shaft 180mm long
- Solid state semi-conductor sensor
- Audible & visual indicators
- Supplied with 2 x AA batteries
- **GLD/450plus** nominal 50ppm methane detection limit
- **GLD/451plus** nominal 250ppm methane detection limit

KANE700

- Gas Leak Detector

Measures

- Gases detected include- Acetone, Alcohol, Ammonia, Benzene, Butane, Ethylene, Gasoline-Petrol, Hydrogen, Industrial Solvents, Jet Fuel, Lacquer, Thinners, Methane, Naphtha, Natural gas, propane, toluene.

Features

- Flexible goose neck.
- Solid state semi conductor sensor
- Detection levels <50ppm methane
- Indicators- Audible tic rate & visual Multi-coloured LEDs
- Tip light

£99 Exc.VAT



Visual 3 colour LED indication

Pressure Meters



```

LOG                01
TIME 15:05 12/04/15
.....
Let-by Test
PRS_1 mbar      10.15
PRS_2 mbar      10.10
Let-by Mins      1.00
.....
Tightness Test
PRS_3 mbar      20.17
PRS_4 mbar      20.12
ΔPRS mbar        0.05
STABIL'N Mins    1:00
TIGHTN'S Mins    2:00
Customer
.....
Appliance
.....
Ref.
.....
    
```

Printer sold separately

KANE3500 Range

- High Accuracy Differential Pressure Meters

Description

- Suitable for difficult applications such as flue draft measurement & measuring differential pressure of gas/air ratio valves on high efficiency boilers

Features

- 5 versions available - see table for specifications
- KANE3500-1 Resolution to 0.1 pascal / 0.001 mbar
- Temperature compensated for superior accuracy
- Switchable between high & low resolution
- Switchable between: mbar, Pa, hPa, kPa, mmHg, mmH₂O, inH₂O & PSI
- Data hold & max/min recording
- Printouts include date/time & user details
- Automated Tightness Testing on KANE3500-1 and KANE3500-2



- Optional wireless upgrade (see below)
- Send printout data to your mobile device using FREE Kane printer app



KANE3500-1	Range ± 1 psi / 80 mbar	£169 <small>Exc.VAT</small>
KANE3500-2	Range ± 2 psi / 160 mbar	£169 <small>Exc.VAT</small>
KANE3500-5	Range ± 5 psi / 400 mbar	£189 <small>Exc.VAT</small>
KANE3500-15	Range ± 15 psi / 1040 mbar	£189 <small>Exc.VAT</small>
KANE3500-30	Range ± 30 psi / 2070 mbar	£189 <small>Exc.VAT</small>
BTM/450	Wireless Android module added to any KANE3500	£55 <small>Exc.VAT</small>
BTM/450LE	Wireless iOS module added to any KANE3500	£55 <small>Exc.VAT</small>

KANE3200

- High Accuracy Differential Pressure Meter

Description

- Easy to use, two button pressure meter with integral magnet for hands free operation

Features

- Switchable between: mbar, Pa, hPa, kPa, mmHg, mmH₂O, inH₂O & PSI
- One button zeroing
- Long battery life



£99 Exc.VAT

PRD2

- Pressure Relief Device

Description

- When completing a tightness test the PRD2 lets you bleed off any excess gas pressure



£20 Exc.VAT

£99 Exc.VAT



£129 Exc.VAT

PSI1000

- Pressure Transducer
- Remote pressure transducer (PSI1000 with 1/4 NPT thread)
- For use with KANE3250

KANE3250

- Pressure Meter

Description

- Industrial rechargeable pressure meter for use with remote 1000 psi transducer.

Note: Remote transducer - must be ordered separately (PSI1000)

Features

- User selectable units:
mbar - range 0-68.9
kPa - range 0-6896
PSI - range 0-1000
- One button zeroing

Thermometers

DT200

- Digital Thermometer

Description

- Durable, versatile & fast responding
- Uses J, K or T thermocouple types
- High accuracy
- Backlight display is easy to read

Features

- Range -200 to +1,370°C (-328 to +2,498°F)
- Timestamped multifunction record
- Relative function displays temperature change
- Data hold
- Protective rubber boot
- Dual input, triple display, differential temperature (ΔT)



£75 Exc.VAT

H&V KIT

- Heating & Ventilating Kit (includes DT200)



Features

- See DT200 for features & specification
- Supplied with:
DT200 Differential Thermometer
2 x KWA1 wrap around pipe probes
1x KAL1 air liquid probe
1 x KSP1 surface probe
1 x KFT1 flexible probe
Carry case

£175 Exc.VAT

PDT550

- Pocket Thermometer

Description

- Versatile, rugged pocket thermometer featuring an extended temperature range, built-in magnetic mount & waterproof case

Features

- Waterproof
- Measures -50 to +300°C (-58 to +572°F)



£13.50 Exc.VAT

KANE-INF165C

- Infra-red Thermometer

Description

- Easy, comfortable non-contact temperature testing

Measures

- Temperature Range -76 ~ 1022°F (-60 ~ 550°C)

Features

- Circular laser targeting
- Distance to Spot ratio: 12:1
- Fixed Emissivity 0.95
- Max value capture
- Auto off



£54 Exc.VAT

KX3253

- Flow Cup & Thermometer

Description








- Measures water flow rate
- Measures both temperature & flow
- Suitable for Benchmark testing
- Dual Scale - 1/2 to 5 gallons per minute & 2 to 23 litres per minute
- Integrated digital thermometer. -50 to +150°C (-58 to +320°F)
- Can be adjusted for left or right hand use



£35 Exc.VAT

Temperature Probes

Temperature Probes

	KAL1	Air/liquid probe -50 to +500°C	£25 Exc.VAT
	KANE AFM3	Air flow, humidity & temperature probe for KANE101	£69 Exc.VAT
	KCP1	Chisel Probe -50 to +500°C	£25 Exc.VAT
	KPCP	Pipe Clamp Probe	£19 Exc.VAT
	KSP1	Light duty surface probe -50 to +500°C	£32 Exc.VAT
	KSP2	Heavy duty surface probe -50 to +500°C	£39 Exc.VAT
	KWA1	Wrap around pipe probe	£19 Exc.VAT

Multimeters & Electrical

For full specifications visit www.kane.co.uk

KANE-DL469

- AC 400A TRMS Clamp Meter

Features

- True RMS
- 400A AC
- 750V AC / 600V DC
- Resistance 40MΩ
- DC Microamps 2000μA
- Diode test
- Non-contact voltage detection

£79 Exc.VAT



DL319

- Compact Digital Multimeter

£72 Exc.VAT



KANE-NCV3

- Non-Contact Voltage Tester

£19 Exc.VAT



Features


- 24 to 1000V AC detection
- High/Low voltage detection
- Visual LED alert
- Audible alert
- Worklight
- Magnetic mount
- Auto power off
- Low battery

Combustion Probes

A selection of high quality stainless steel probes with integral thermocouples are available

High-Temp = 1100°C/2140°F

Standard Temp = 600°C/1112°F



	KANE ASP2 KIT	<ul style="list-style-type: none"> • Appliance sampling probe kit - grills, gas fires & general purpose • 5mm diameter • 2.2m flexible tube 	£99 Exc.VAT
	KMCP71	<ul style="list-style-type: none"> • 240mm probe • 8mm diameter • 0.9m neoprene hose 	£70 Exc.VAT
	KMCP2	<ul style="list-style-type: none"> • 240mm probe • 6mm diameter • 2m neoprene hose 	£82 Exc.VAT
	KMCP2/100	<ul style="list-style-type: none"> • 100mm probe • 6mm diameter • 3m neoprene hose 	£82 Exc.VAT
	KMCP10	<ul style="list-style-type: none"> • 285mm probe • 8mm diameter • 3m neoprene hose 	£82 Exc.VAT
	SM12527	<ul style="list-style-type: none"> • 285mm Teflon lined probe • 8mm diameter • 3m neoprene hose 	£115 Exc.VAT
	KMCP40	<ul style="list-style-type: none"> • 240mm probe with in-line air filter • 6mm diameter • 3m neoprene hose 	£90 Exc.VAT
	KMCP30	<ul style="list-style-type: none"> • 240mm combined flue gas & pressure probe • 6mm diameter • 2m neoprene hose 	£95 Exc.VAT
	KMCP35	<ul style="list-style-type: none"> • 300mm flexible probe • 8mm diameter • 1m neoprene hose 	£95 Exc.VAT
	KMCP6	<ul style="list-style-type: none"> • 285mm probe with removable shaft • 8mm diameter • 4m neoprene hose 	£190 Exc.VAT
	KMCHP6	<ul style="list-style-type: none"> • 285mm high temperature probe with removable shaft • 8mm diameter • 4m neoprene hose 	£285 Exc.VAT





	KMCSPP6	<ul style="list-style-type: none"> • 285mm smoke probe with removable shaft • 8mm diameter • 4m neoprene hose 	£285 Exc.VAT
	KMCLP6	<ul style="list-style-type: none"> • 1m probe with removable shaft • 8mm diameter • 4m neoprene hose 	£295 Exc.VAT
	KMCHLP6	<ul style="list-style-type: none"> • 1m high temperature probe with removable shaft • 8mm diameter • 4m neoprene hose 	£365 Exc.VAT
	KMCHSP6	<ul style="list-style-type: none"> • 285mm high temperature smoke probe with removable shaft • 8mm diameter • 4m neoprene hose 	£365 Exc.VAT
	KMCHSLP6	<ul style="list-style-type: none"> • 1m high temperature smoke probe with removable shaft • 8mm diameter • 4m neoprene hose 	£390 Exc.VAT
	SGAFP	<ul style="list-style-type: none"> • 325mm probe with removable shaft • 5mm diameter • 2.2m flexible tube 	£80 Exc.VAT
	16798	<ul style="list-style-type: none"> • 100mm shaft with max temp of 650°C • 8mm diameter 	£75 Exc.VAT
	KMC	<ul style="list-style-type: none"> • 285mm shaft with max temp of 650°C/1202°F • 8mm diameter 	£85 Exc.VAT
	KMCL	<ul style="list-style-type: none"> • 1m shaft with max temp of 650°C/1202°F • 8mm diameter 	£185 Exc.VAT
	KMCH	<ul style="list-style-type: none"> • 285mm shaft with max temp of 1250°C/2282°F • 8mm diameter 	£165 Exc.VAT
	KMCHL	<ul style="list-style-type: none"> • 1m shaft with max temp of 1250°C/2282°F • 8mm diameter 	£250 Exc.VAT
	17320	<ul style="list-style-type: none"> • 6mm diameter depth stop cone 	£6 Exc.VAT
	4290/2	<ul style="list-style-type: none"> • 8mm diameter depth stop cone 	£6 Exc.VAT
	KMCE10	<ul style="list-style-type: none"> • 10m hose & thermocouple extension 	£40 Exc.VAT
	CPS1	<ul style="list-style-type: none"> • Combustion probe stand • 2.1m max height 	£45 Exc.VAT

Accessories/Consumables

	KANE IRP-2 Kane Infra-Red Printer £149 Exc.VAT
	KANE MSP Kane Smoke Test Kit £85 Exc.VAT
	SP9 Smoke papers & chart (for use with smoke probe options) £15 Exc.VAT
	MAG-BRACKET KANE900 series magnetic mounting bracket £32 Exc.VAT
	PRD2 Pressure Relief Device £20 Exc.VAT
	SM12592 CO2 True zero calibration module for KANE100-1 £15 Exc.VAT
	SM14111 CO2 True zero calibration module for KANE457 £15 Exc.VAT
	SM14886 In-line sulfur filter assembly for KANE251, 255, 425, 450, 451plus, 452NO, 455, 456, 457, 458 & 504 £19 Exc.VAT

Spare Parts



	FB1 Blank filter for KANE9106 & KANE9206 £6 Exc.VAT
	SM11105 RD99 tip assembly £10 Exc.VAT



17143
CD100A/LS1 sensor

£10 Exc.VAT

Batteries Chargers and Power Leads

	18342 12V charger for KANE101, 250, 251, 255, 425, 450, 451plus, 452NO, 455, 456, 457 & 458 £19 Exc.VAT
	19278 100-240v AC charger for KANE101, 250, 251, 255, 425, 450, 451plus, 452NO, 455, 456, 457 & 458 £15 Exc.VAT
	B15 4x 1900 mAh rechargeable batteries. Note: battery make may differ £14 Exc.VAT
	CU12VDC2A21 Battery charger-100-240V for KANE100 & 900 series £25 Exc.VAT
	19603 15v DC charger / adapter for KANE9206 £25 Exc.VAT
	KMCU220/16 Battery charger - 220 volt for KM9100, /01, /04, /06 (KMCU110/16 110 Volt version) £25 Exc.VAT
	PSL/UK UK power supply lead £7 Exc.VAT
	PSL/UK/110 110 volt UK power supply lead £16 Exc.VAT
Sensors	
	OS10 1 yr O ² sensor - KM9000 series £90 Exc.VAT

**OS11**

2 yr O2 sensor for KANE9100, /01, /04, /06 & 9206

£120 Exc.VAT

**PF400/5 (pack of five)**

Filters for KANECO91, 100, 101, 250, 251, 255, 425, 450, 451plus, 452NO, 455, 456, 457, 458 & 504

£15 Exc.VAT

Carry Cases

**14102/2**

Large carry bag

£25 Exc.VAT

**17820**

Small carry bag

£25 Exc.VAT

**18704**

Hard carry case for KANE101, 250, 251, 255, 425, 450, 451plus, 452NO, 455, 456, 457 & 458

£49 Exc.VAT

**20106**

Backpack

£49 Exc.VAT

**TO1233**

Carry pouch for DM391, /393C

£9 Exc.VAT

Filters

**AF2**

Complete particle filter for KANE9106 & 9206

£10 Exc.VAT

**AF9/5 (pack of five)**

AF9 particle filters for KM9104

£20 Exc.VAT

**AF10/5 (pack of five)**

AF10 particle filters for all SGA models

£20 Exc.VAT

**PF2/10 (pack of ten)**

Filters for AF2. Also suitable for KM700, 701P, 800 & 900

£20 Exc.VAT

**SF1/5 (pack of five)**

SF1 sulphur filters for KM9100, 9101 (all models), KM9103 & KM9106

£40 Exc.VAT

**SF9/5 (pack of five)**

Sulphur filters for KM9104 & SM14886


£35 Exc.VAT

**WN8**

Filters for plastic bodied water traps (not in-line watertraps)

£8 Exc.VAT

Paper and Ribbons

**DP5 (pack of five)**

Printer ribbons for KANE9104, 9106 & 9206

£29 Exc.VAT

**TP5 (pack of five)**

Thermal printer rolls for Infra-Red Printer KANE IRP & KANE IRP-2

£12 Exc.VAT

Water Traps

**WT900/2**

Replacement in-line water trap for KANE900 series

£28 Exc.VAT

**SM12840**

Replacement water trap for KANE101, 250, 251, 255, 451plus, 452NO, 455, 456, 457 & 458

£10 Exc.VAT



Kane Dashboard

We really want you to register your Kane analyser at www.kane.co.uk to create your dashboard – your personal online analyser portal

Benefits include:



An automatic reminder when it's time to Service – Calibrate – Recertify



Easy access to your analyser's calibration certificates & service history



Fixed service prices are always visible



A record of your model & serial number with ability to report your analyser stolen



Our new simple online booking in procedure to arrange to Service – Calibrate – Recertify ensures you receive the fastest turnaround times possible



Product specific information & resources all in one place

Your analyser details

Manage your analyser

Your Company details, logo social media etc

Need help?

Service pricing

Relevant information for your analyser

K455 1.0

YOUR COMPANY NAME & PHONE NUMBER HERE

SERIAL NO. 0121512159

DATE 31/01/16

TIME 12:00:00

COMBUSTION

FUEL	NAT	GAS
O2 %	5.4	
CO2 %	8.8	
CO PPM	12	
FLUE °C	55.1	
INLT °C	17.2	
NETT °C	37.9	
EFF (C)	98.3	
LOSSES	1.7	
SAFETY	24.8	
Cal. due on	03/12/16	
CO/CO2	0.0001	
PRS mBAR	0.00	
CUSTOMER		
APPLIANCE		
Ref.		

A1 Plumbers Ltd
Alex Hartley
GAS SAFE NUMBER: 12345678
20-11 Gablefield Park Ave
Atherton
M40 OSY
Twitter Facebook

Kane International Ltd
Northern Service Centre:
Tel: +44 (0) 1942 573434
Southern Service Centre:
Tel: +44 (0) 1707 354834
Residual Support

KANE455 - S/N: 0121512159

Details
Product: KANE455
Status: Active
Serial no: 0121512159

Service Price

YEAR 1	YEAR 2	YEAR 3	YEAR 4	YEAR 5	YEAR 6
£54	£54	£54	£54	£145	£54

KANE455 over 7 years old
Check, Re-Calibrate & Re-Certify £54
Full Service & Re-Certify £145
Repair Quote

Calibration or Conformity Certificates are included in all prices, as appropriate
All prices are in £ sterling and are exclusive of VAT.

Resources for your KANE455

Software
[KANE Archiver](#)
[KANE Bluetooth Printer \(Android app\)](#)

Manual
[KANE455 - Bluetooth/TB Communication](#)
[KANE455 English](#)

Buttons: Service & Re-Certify, Service History, Report Stolen, Delete Analyser

Back to dashboard



An out of calibration analyser may mean your combustion reports are invalid

Online Booking Procedure @ www.kane.co.uk

To organise your Kane analyser's Service & Recertification online it must be registered.

To register, click

Register

If you have already registered, click

Sign In

to sign in

From your dashboard, click

Manage

for the analyser you wish to organise Service & Recertification, then click



Service & Re-Certify

& follow our simple online booking process:

1. This page confirms if a service/recertification is required & how much it will cost

2. Book your service/recertification & order any additional spare parts you need

3. Once happy with your order just confirm & pay

4. See your order & print out the return to Kane label

Book online Service / Recertification

According to our records your KANE405 - S/N: 0121512158 is now in year four of its service plan, and will require a service/recertification procedure in order to maintain a valid calibration certificate.

The cost will be £384.00 VAT.

We have no record of this analyser previously being booked in online.

If you feel this is incorrect or you have any additional questions, please contact us directly on: +44 (0) 1707 384834 or via the online [contact form](#).

If you're happy to proceed, please click continue.

Continue

Add any spare parts for your analyser, select quantity required. If not, click here.

ASP2KIT
£39.00
Appliance Sampling Probe Kit - 3 Probes with handpiece Assembly

PF400-S Filters
£15.00

Step 2 - Confirmation

Delivery Address
A1 Plumbing Supplies
39-41 Gidfield Park Ave
Atherton
Grt Manchester
M46 0DY
United Kingdom
+44 (0) 1942 873434

Billing Address
A1 Plumbing Supplies
39-41 Gidfield Park Ave
Atherton
Grt Manchester
M46 0DY
United Kingdom
+44 (0) 1942 873434

Description
KANE405 - 0121512158
Year four Service / Recertification
We have no record of this analyser previously being booked in online.

Quantity
1

Amount (per item)
£384.00

Service Centre: Southern Service Centre

Order Summary

Thanks for your order.

We've charged your Visa card ending 0242 the amount £108.00 for 1 x Service / Recertification. The charge will appear on your bank statement as **KANE INTERNATIONAL LTD**.

Your RMA number is **34846**.

Please quote this number in any correspondence with us.

So what's next?

1. Print delivery label

Print Label

2. Package Analyser

Security pack analyser with probe, charger and any other products requiring our attention.

Once securely packed, please send back to the Kane Service Centre address via your local post office or a courier company such as [paragon](#) or [colson](#).

It is advisable to send the package by Special Delivery so that it is insured and traceable while in transit.

Your analyser **MUST** be returned directly to Kane and not through a third party otherwise additional charges may apply.

Print



Don't forget to put the label on your package & send it to us

UK Service Price List

All prices are in £ Sterling exclusive of VAT

Calibration or Conformity Certificates are included in all prices as appropriate

ANALYSERS

Product	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
KANE77	£39.00	£39.00	£39.00	£39.00	£59.00	£39.00
KANE100-1	£80.00	£125.00	£80.00	£125.00	£80.00	£125.00
KANE101	£125.00	£125.00	£125.00	£125.00	£185.00	£125.00
KANE250	£80.00	£155.00	£80.00	£155.00	£80.00	£155.00
KANE251	£89.00	£89.00	£89.00	£89.00	£165.00	£89.00
KANE251NO	£124.00	£224.00	£124.00	£224.00	£200.00	£224.00
KANE255	£80.00	£80.00	£80.00	£80.00	£141.00	£80.00
KANE425	£84.00	£165.00	£84.00	£165.00	£84.00	£165.00
KANE450	£84.00	£195.00	£84.00	£195.00	£84.00	£195.00
KANE451	£84.00	£165.00	£84.00	£165.00	£84.00	£165.00
KANE451NO	£119.00	£300.00	£119.00	£300.00	£119.00	£300.00
KANE451plus	£94.00	£94.00	£94.00	£94.00	£175.00	£94.00
KANE451plusNO	£129.00	£229.00	£129.00	£229.00	£210.00	£229.00
KANE452	£129.00	£229.00	£129.00	£229.00	£210.00	£229.00
KANE455	£84.00	£84.00	£84.00	£84.00	£145.00	£84.00
KANE456	£89.00	£89.00	£89.00	£89.00	£150.00	£89.00
KANE457	£94.00	£94.00	£94.00	£94.00	£155.00	£94.00
KANE458	£89.00	£89.00	£89.00	£89.00	£150.00	£89.00
KANE504	£65.00	£65.00	£65.00	£65.00	£115.00	£65.00
ONE CLICK (REGXA1)	£59.00	£59.00	£59.00	£59.00	£115.00	£59.00

Rolling warranty ends after 6 years & becomes limited to replaced parts (12 months)

Product	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
KANE900plus CO only *	£105.00	£255.00	£105.00	£255.00	£105.00	£255.00
KANE905 CO only	£105.00	£255.00	£105.00	£255.00	£105.00	£255.00
KANE940 CO only *	£105.00	£255.00	£105.00	£255.00	£105.00	£255.00
KANE945 CO only	£105.00	£255.00	£105.00	£255.00	£105.00	£255.00
KM9106CO *	£145.00	£375.00	£145.00	£375.00	£145.00	£375.00
* Discontinued	& £35.00 per extra sensor	& £99.00 per extra sensor	& £35.00 per extra sensor	& £99.00 per extra sensor	& £35.00 per extra sensor	& £99.00 per extra sensor

ANALYSERS OVER 7 YEARS OLD

Product	Calibrate & Recertify	Service	Repair
KANE250	£80.00	£155.00	Quote
KANE455	£84.00	£145.00	Quote
KM900	£120.00	£275.00	Quote
KANE960	£120.00	£190.00	Quote

Additional or older analysers quoted separately - please contact us for more details

TOXIC SENSOR REPLACEMENT / UPGRADE

Sensor	Replacement	Additional Upgrade
KMNO1/LOW	£99.00	£275.00
KMNO1	£99.00	£275.00
KMNO2	£99.00	£275.00
KM3SO2	£99.00	£275.00
KM6CO1	£99.00	£275.00
KMPS2	£160.00	£195.00
KMHC104		£440.00

SINGLE GAS ANALYSERS / LEAK DETECTORS

Product	Calibration	Service	Status
Mobile CO	£39.00	£59.00	Superceded
CO75	£39.00	£59.00	Superceded
CO91	£62.00	£105.00	Superceded
KM71	£39.00	£60.00	Superceded
Kanary	£39.00	£60.00	Superceded
SGA70	£39.00	£59.00	Superceded
SGA71	£39.00	£59.00	Superceded

All prices are in £ Sterling exclusive of VAT

Calibration or Conformity Certificates are included in all prices as appropriate

Product	Calibration	Service	Status
SGA91	£62.00	£105.00	Superseded
SGA92	£62.00	£105.00	Superseded
SGA94	£62.00	£105.00	Superseded
SGA96	£62.00		Superseded
CD100A & B	£35.00		Current
KANE700	£35.00		Current
LS1/UK	£35.00		Current
RD99	£40.00		Current

PRESSURE METER

Product	Calibration	Status
KANE3200	£25.00	Current
KANE3500 Series	£25.00	Current

UKAS CALIBRATION

Product	UKAS Cert only	UKAS Cert with Calibration	UKAS Cert with Service
KANE250	£82.00	£142.00	£217.00
KANE425	£114.00	£174.00	£255.00
KANE450	£114.00	£174.00	£255.00
KANE455	£114.00	£174.00	N/A
KANE3200	£55.00	£67.00	N/A
KANE3500	£55.00	£67.00	N/A

Service - Calibrate - Recertify

All flue gas analysers should be checked, recalibrated & recertified annually

The Kane after-sales service team repair & recertify your analyser to national standards

UKAS calibration is also available


Our new service team is twice as big with new calibration & IT systems to speed up FGA recertification & service




Global Quality, Environment, Health & Safety

Kane is the only UK manufacturer of hand-held gas analysers to be granted UKAS accreditation to

ISO / IEC 17025:2005 for its Welwyn Garden City calibration laboratory, covering a range of gases, temperature & pressure. Kane is certified to ISO 9001, ISO 14001 & BS OHSAS 18001



Meet the UK Sales Team



Tom McCue
UK Sales Director
07788 178388



Tony Coyle
Regional Sales Manager
07948 232872



Jan Haider
Regional Sales Manager
07500 878442



Mitchell Perry
Regional Sales Manager
07876 836089



Rob Wiskin
Regional Sales Manager
07831 590272



Chris Collins
Regional Sales Manager
07973 835665



Gavin Gould
Regional Sales Manager
07496 778727



UK Sales Line **01707 384810**

Fax: 01707 393277
Email: uksales@kane.co.uk

Northern Customer Service Kane International Ltd

Gibfield Park Avenue, Atherton,
Manchester, M46 0SY, UK
Tel: +44 (0) 1942 873434
Fax: +44 (0) 1942 873558
Email: nservice@kane.co.uk

Southern & International Customer Service Kane International Ltd

Kane House, 11 Bessemer Road,
Welwyn Garden City, Hertfordshire, AL7 1GF, UK
Tel: +44 (0) 1707 384834
Fax: +44 (0) 1707 384833
Email: sservice@kane.co.uk

Distributed by:

www.kane.co.uk

Follow us on...



Prices valid from 1st October 2017. Kane International reserves the right to make changes to prices, products & specifications without prior notice. Kit contents may change, please check before purchase. All prices are ex-works in £ Sterling & are exclusive of VAT. Carriage costs are extra, standard rate is £7.00 per delivery for orders under £250 & £15 for delivery before 12pm, £25 for delivery before 10am & £35 for delivery before 9am Next Day for Mainland UK. An additional £20 charge will be added to reseller orders with a Third Party delivery address. Colours may vary from those illustrated.